



مركز الزيتونة
للدراسات والاستشارات

فلسطين اليوم

متابعات إخبارية يومية تعنى بالشأن الفلسطيني

رئيس التحرير: د. محسن صالح

مدير التحرير: وائل وهبه

سكرتير التحرير: ربيع الدنان

العدد :

/ /

التاريخ :

الفبر الرئيسي



أبرز العناوين



مركز الزيتونة للدراسات والاستشارات

ص.ب.: 14-5034 بيروت - لبنان

هاتف: +961 1 303 644 | تليفاكس: +961 1 303 643

www.alzaytouna.net | info@alzaytouna.net



Figure 1 consists of four scatter plots arranged in a 2x2 grid. The top row represents the year 2000, and the bottom row represents the year 2010. The left column represents the United States, and the right column represents the United Kingdom. Each plot has 'Number of children' on the x-axis and 'Number of adults' on the y-axis. The plots show a positive correlation between the number of children and the number of adults in a household. The correlation is stronger in the United States than in the United Kingdom, and it is stronger in 2000 than in 2010.



- **Prevalence** = the proportion of a population that has a disease at a particular point in time
- **Incidence** = the proportion of a population that develops a disease over a period of time

□ □ □

11

1

1

11

11

4

1

1

11

-
-

11

11

□

□

1

■

■ [How to use the new Windows 10 taskbar](#)
 ■ [How to use the new Windows 10 taskbar](#)

1

11

□

1

1

11

11

1

1

■



⋮ // ⋮







/

//

//

//



//

//



//

II II

//

[illegible]

|| ||

|| ||

|| ||

|| ||

$$\frac{1}{2} \left(\frac{1}{2} \right) = \frac{1}{4}$$

|| || || || ||

[illegible]

|| ||

" "

|| || || ||

|| ||

//

⋮ // ⋮



//

()

⋮ // ⋮





⋮ // ⋮



1

//

//

//

■ ■



//

//

[]

//

//

[illegible]

|| || || || ||

II

()

" " " "

|| || || ||

_____ : _____ / / _____ :



$\frac{1}{2}$



% ()

" "

%

%

%

%

%

%

" "

//

,

:

" "

()

()

()

()

//

" "

:

-

:

//

:







//

//

//



« «

.

//

» »

:

.

.

//

.

» :

»

//

»

:

.

:

»

«.

.

:

// :


$$\begin{array}{ccc} \mathbb{H} & & \mathbb{H} \\ & \searrow & \nearrow \\ & \mathbb{H} & \end{array}$$

Figure 6

⋮ // ⋮



//

//

« »
».

//

//



"

...

//

//

[]

" "

//

" :
:

"

" "

//

" "





//

//

//



//

//

//

//



Figure 1. The effect of the number of trials on the number of correct responses. The number of correct responses was plotted against the number of trials for each condition. The error bars represent the standard error of the mean.

11

11

11

|| || .

■

11

1



//

//

/

" "

//

//

.()



//

//

» »

:

» »

» :

//

»

//

» »



//

|| ||

"

"

//

:

:

//

//

"

"

"

"

"

:

//

:





//

» :

«.

»

» »

«.

//

:

» :

«.

»

«

« »

»

«.

()

»

...

(

)

«.

//

:

//

:



.....

.....

.....

//

.....

//

.....

//

.....

«.

//

.. " " .

()

« »

()

:(AH-64)

.()

:« » -

« »

« « « »

) « »

.(

.()

« »



//

/
/
mm

" "

» :

« »

«

.

...



« »

« »

()



« »

»

«

»

«



« »

« »

« »

« »

« »



« »

« »

»

«

//

|| |

innate

()

« » « »

()



« »

//

” ”

” ”





" "

()

()



« »

//



)

(

()



:: ::



//





!!



()

!!

!!

//

" "

- " "

:

:

//



//

:

//

: